

(13) Previously, a K_{ass} value of 11 M^{-1} was reported⁷ for the complexation of *N,N*-bis(4-*tert*-butylbenzyl)-*N*-methylammonium hexafluorophosphate with a bis-*p*-xylyl[26]crown-6.

(14) Steiner, T. *Angew. Chem. Int. Ed.* **2002**, *41*, 48–76.

(15) (a) Jaime, C.; de Mendoza, J.; Prados, P.; Nieto, P. M.; Sanchez, C. *J. Org. Chem.* **1991**, *56*, 3372–3376. (b) Magrans, J. O.; de Mendoza, J.; Pons, M.; Prados, P. *J. Org. Chem.* **1997**, *62*, 4518–4520. (c) Bifulco, G.; Gomez-Paloma, L.; Riccio, R.; Gaeta, C.; Troisi, F.; Neri, P. *Org. Lett.* **2005**, *7*, 5757–5760. (d) Bifulco, G.; Riccio, R.; Gaeta, C.; Neri, P. *Chem. Eur. J.* **2007**, *13*, 7185–7194.

(16) Ikeda, A.; Shinkai, S. *Chem. Rev.* **1997**, *97*, 1713–1734.

(17) S. Grimme, *J. Comput. Chem.* **2006**, *27*, 1787–1799.

(18) K. Hirose, in *Analytical Methods in Supramolecular Chemistry* (Ed.: C. A. Schalley), Wiley-VCH, Weinheim, 2007, pp. 17–54.

(19) Yamauchi, K.; Miyawaki, A.; Takashima, Y.; Yamaguchi, H.; Harada, A. *Org. Lett.* **2010**, *12*, 1284–1286.

(20) Hou, X.; Ke, C.; Cheng, C.; Song, N.; Blackburn, A. K.; Sarjeant, A. A.; Botros, Y. Y.; Yang, Y.-W.; Stoddart, J. F. *Chem. Commun.*, **2014**, *50*, 6196–6199.